

ОБРАЗОВАНИЕ

**НАУКА И ИННОВАЦИОННЫЕ ИДЕИ
В МИРЕ**

международный научный электронный журнал

*Выпуск журнала № 15
Часть-6_ Февраль 2023*

OPEN  ACCESS



ОБРАЗОВАНИЕ НАУКА И ИННОВАЦИОННЫЕ ИДЕИ В МИРЕ

международный научный электронный журнал

Февраль - 2023 год

ЧАСТЬ - 6



APPLICATION OF REMOTE SENSING FOR INCLUSION IN GEOGRAPHIC INFORMATION SYSTEM

Komil Khujakeldiyev Nosirovich

*Doktor of philosophy (PhD) technical sciences, docent. Karshi Institute of
Engineering Economics,
"Geodesy, cadastre and land use" department*

Jahongir Nosirov Komil ugli

*Student of Karshi Institute Of Irrigation And Agricultural Technologies Under
The National Research University Tashkent Institute Of Engineers Of Irrigation And
Agricultural Mechanization
+998908769897*

Annotation: Geomorphology is a comprehensive landscape study that reviews a space from the aspects of morphology, chronology, arrangements and processes. Accompanied by observation and field validation, the rapid development of remote sensing technology greatly helped the geomorphological mapping process.

Keywords: GIS, method, map, technology, research.

INTRODUCTION

Geomorphological maps have a broad scope of studies as representation, analysis, and visualization of the shape of the earth's surface and the processes that occur in a space. A space in geomorphology is reviewed through four main approaches, namely morphological, morphochronological, morphoprocess, and morphological arrangements [1-5]. Geomorphological mapping is considered a technique that produces basic data that can be used in other scientific practices such as environment, disaster, regional development and land evaluation.

MATERIALS AND METHODS

Techniques in geomorphological mapping experienced rapid development due to the existence of remote sensing technology and geographic information systems (GIS). The 2-dimensional model and 3-dimensional earth surface and physiological changes can be observed using remote sensing results that are useful for geomorphological mapping [4].

RESULTS AND DISCUSSION

Remote sensing technology, geographic information systems, and field surveys are used for making geomorphological maps of Bendo watershed. Morphological information was obtained from digital elevation model (DEM) data processing, morphochronological information and soil surface material obtained from the

geological map of the Ijen sheet, while morphological information was obtained from optical system remote sensing data. Geomorphological mapping of Bendo watershed consists of stages of data collection and data analysis.

Geomorphological mapping research was carried out on the Bendo watershed, Banyuwangi, East Java with an absolute location of $114^{\circ}12'53.43''$ E to $114^{\circ}23'11.45''$ E and $8^{\circ}03'36''$ S to $8^{\circ}13'19.17''$ S. Relatively, the location of the study was located in Licin District, Glagah District, Giri District, Kalipuro District, and Banyuwangi District, East Java Province. Bendo watershed's upstream located in the Ijen Mountains Complex, namely Mt. Ijen, Mt. Merapi, and Mt. Rante elongated watersheds up to Bali Strait in the Banyuwangi District. The elevation of the study area ranges from -3.78 to 3269.52 above sea level as wide as 40.13 km². The study area is presented in **Figure 1**.




Figure 1. Study area

This research uses secondary data types namely remote sensing products such as Sentinel-2 and Digital Elevation Model (DEM) data. Surface rock information was obtained from the Ijen Geological Sheet Scale 1: 50,000 which was obtained from the Center for Volcanology and Geological Disaster Mitigation (PVMBG) in 1988. While the primary data used were process observations and several land characteristics in the field. The Sentinel-2 product used is Sentinel-2B with the acquisition date of August 13, 2018 in the Banyuwangi area which has been processed to level-1C.

TPI which has a negative value indicates that the area is lower than the surrounding area, in the Bendo watershed in the form of valleys and basins. (Figure 2) This study uses the TPI study with a 25 m analysis scale to obtain micro-morphological results from the area around the mapping. The greater the scale of analysis, the greater the generalization. Selection of the scale of the TPI conditional analysis according to the research period [2].




Figure 2. Topographic position index with hillshade appearance and field conditions, there is a description of the slope class and the slope percentage in each image showing slope information.

CONCLUSION

The remote sensing technology play an important role to study geomorphological future within study area. From all aspects offered, the detailed digital elevation scale model provides detailed information on morphology through topographic modeling. Within analysis of slope, TPI, and hillshade morphological information can be easily mapped. In addition, there is still need survey on geomorphological information in the field to adjust the results of remote sensing processing. Field surveys are considered to be an important step in this study. There are 16 units of landforms based on morphological, morphocronological, morphoarrangement and morphoprocess analysis. In general, Bendo watershed is a water catchment area that represents the toposkuen of the Ijen Mountains Complex. The Litology dominated by volcanic and fluvial material with a dominant process of erosion and landslide. Comprehensive analysis of geomorphology can be used as basic information on the analysis of various landscape studies.

REFERENCES

- [1] Pavlopoulos K, Evelpidou N and Vassilopoulos A 2019 *Mapping Geomorphological Environments* (Berlin: Springer Berlin-Heidelberg).
- [2] Smith M J, Paron P and Griffiths J S 2011 *Geomorphological Mapping Methods And Applications* (Amsterdam: Elsevier BV).
- [3] Barsch D, Fischer K and Stablein G 2017 Geomorphological mapping of high mountain relief Federal Republic of Germany *Mt. Res. Dev.* 7 (4): 361.
- [4] Van Asselen S and Seijmonsbergen A C 2006 Expert-driven semi-automated geomorphological mapping for a mountainous area using a laser DTM *Geomorphology* **78** (3): 309-320.
- [5] Bishop M P, James L A, Shroder J F and Walsh S J 2012 Geospatial technologies and digital geomorphological mapping: Concepts, issues and research *Geomorphology* **137** (1): 5-26.
- [6] Otto J C and Smith M J 2013 Geomorphological mapping field mapping *Br. Soc. Geomorphol.* **6**: 1-10.

20	BOBUR LIRIKASIDA VATAN MADHI	77
21	YOSHLARNI JISMONIY CHINIQTIRISH , ULARNI SPORT SOHASIDA QOBILYATINI NAMOYON QILISHLARI UCHUN ZARUR SHAROITLAR YARATISH	80
22	BOSHLANG'ICH SINFLARDA MATEMATIKA O'QITISH METODIKASI	85
23	BOSHLANG'ICH SINFLARDA DARSLARIDA LUG'AT USTIDA ISHLASH USULLARI	89
24	TEXNOLOGIK TA'LIM DARSLARIDA POLIMER MATERIALLARDAN UY-RO'ZG'OR BUYUMLARINI TAYYORLASH (GUL TUVAK YASASH MISOLIDA)	91
25	TEXNOLOGIYA DARSLARINI TASHKIL ETISHNING DIDAKTIK TAMOIYILLARI	95
26	TEXNOLOGIYA DARSLARIDA QO'L MEHNATIDAN FOYDALANISH TALABLARI	99
27	APPLICATION OF REMOTE SENSING FOR INCLUSION IN GEOGRAPHIC INFORMATION SYSTEM	103
28	EFFECTIVENESS OF USING DIDACTIC APPROACH IN TEACHING A FOREIGN LANGUAGE	107
29	ORGANIZATION OF COMMUNICATION OF A MOTORIZED RIFLE PLATOON AND RULES FOR CONDUCTING RADIO COMMUNICATIONS	110
30	FEATURES OF THE PREPARATION AND CONDUCT OF DEFENSE BY A MOTORIZED RIFLE GROUP IN VARIOUS CONDITIONS OF THE SITUATION	115
31	THE SPECIFICS OF NATIONAL MORAL VALUES IN INCREASING THE EFFECTIVENESS OF INITIAL PRESCRIPTION TRAINING	123
32	ЖИЗНЬ И ТВОРЧЕСТВО ФУРКАТА	126
33	ФАРОБИЙ ВА ИБН СИНО БИЛИШ НАЗАРИЯСИ ҲАҚИДА	130
34	РАЗРАБОТКА ТЕОРЕТИЧЕСКИХ И МЕТОДОЛОГИЧЕСКИХ ОСНОВ КОЭФФИЦИЕНТА ЭФФЕКТИВНОСТИ МЕДИЦИНСКОЙ ПРОФИЛАКТИЧЕСКОЙ ОБУВИ ДЛЯ БОЛЬНЫХ САХАРНЫМ ДИАБЕТОМ И С ТРАВМАМИ ГОЛЕНОСТОПНОГО СУСТАВА	134
35	O'ZARO HAMKORLIK PUNKTLARINI SHAKLLANTIRISH ORQALI TRANSPORT ISHI KO'RSATKICHLARINI OSHIRISH	139
36	ТЕКИС АСОСЛИ ЮКЛАРНИ ЖОЙЛАШТИРИШ ВА МАҲКАМЛАШ ҲАМДА ГУСЕНИЦАЛИ ЮРИШЛАРНИ ҲИСОБЛАШ	145
37	ТЕМИР ЙЎЛ ТРАНСПОРТИДА ВАГОНЛАРГА ЮКЛАРНИ ЖОЙЛАШТИРИШНИ ТАДҚИҚ ҚИЛИШ	155
38	ТЕМИР ЙЎЛ ТРАНСПОРТИДА ОРТИЛГАН ВАГОНЛАРНИНГ КЎНДАЛАНГ БАРҚАРОРЛИГИНИ АНИҚЛАШ	166
39	CHET TILLARNI ONLAYN TARZDA O'QITISHDA XALQARO VAHOLASH DASTURLARI VA STANDARTLARINING O'ZIGA XOSLIKLARI	174